



211 Conchas Street SE - Albuquerque, NM 87123
Toll Free: 866.700.3923
MASTER PRICE LIST Effective: November, 2019 Ver B

Description	Dist	Dealer	MSRP
232-BB RS232 Breakout Board	13.00	16.25	20.31
DC100 120Vac to 12Vdc AC adaptor, 100ma	3.50	4.38	5.47
DC500 120Vac to 12Vdc AC adaptor, 500ma	4.00	5.00	6.25
DC1000 120Vac to 12Vdc AC adaptor, 1A	8.50	10.63	13.28
ACE1000 European 100-220VAC to 12vdc 1A power supply	9.00	11.25	14.06
AC1640 120Vac to 16.5VAC AC adaptor, 40Va	14.00	17.50	21.88
AC2440 120Vac to 24Vac AC adaptor, 40Va	14.00	17.50	21.88
AN1 Audio Message Recorder/Player	50.22	62.78	78.47
AN4 Four Message Audio Player/Recorder	73.48	91.85	114.81
Cable (patch cord) 6' RCA or 3.5mm	0.50	0.63	0.78
Cable Audio 22AWG 2 conductor shielded w/drain wire PER FOOT	0.20	0.25	0.31
Cable Flying Lead option (Patch Cord) 3' RCA or 3.5 mm with equipment	2.50	3.13	3.91
Cable RG 174 PER FOOT	0.40	0.50	0.63
CAT5-AD1 (SET) SM1-X to CAT5 Cable Adaptor	19.32	24.15	30.19
CAT5-AD3 (SET) 3 channel SM1-X to CAT5 cable adaptor	60.44	75.55	94.44
CAT5-BB Breakout Board	12.54	15.68	19.59
CAT5X4 CAT5 converter 4 channel , remote power (SET)	62.83	78.54	98.17
CS4 4" Ceiling Speaker with Grill and 70V Transformer	16.43	20.54	25.67
CS4 4" Ceiling Speaker with Grill, 8 Ohm	12.00	15.00	18.75
CS6 6" Ceiling Speaker with Grill, 8 Ohm	25.00	31.25	39.06
CS8 8" Ceiling Speaker with Grill and 70V Transformer	31.22	39.03	48.78
CSM8 Ceiling 8" (C5 option same price) use with SMA1	68.87	86.09	107.61
CSSIC Single gang, Compact, Stainless Steel Tamper Resistant Intercom.	150.00	187.50	234.38
DGS-3 Double Gang Stainless Steel 3" , 8 Ohm, 2 Watt Speaker	20.00	25.00	31.25
DGS-15 Single Gang Stainless Steel 3" , 8 Ohm, 1 Watt Speaker	15.00	18.75	23.44
DNR-1E Economy DSP Based Noise Reduction Module / interface	100.00	125.00	156.25
DM1-SS Pre-amplified microphone with compressor and DSP based noise reduction module.	150.00	187.50	234.38
DNR-1 High Performance DSP Based Noise Reduction Module / interface	175.00	218.75	273.44
DNR-4E Four Channel Economy DSP Based Noise Reduction Module / interface	288.00	360.00	450.00
DNR-4-RCA Four Channel High Performance DSP Based Noise Reduction Module / interface	650.00	812.50	1,015.63
DNR-4-BNC Four Channel High Performance DSP Based Noise Reduction Module / interface removeable connectors	675.00	843.75	1,054.69
DS1 Door Contact Shunt Timer	22.12	27.65	34.56
EEM-1 Substitutie Microphone for Eagle 2107/2102P with Superior Performance	24.80	31.00	38.75
EDKS-4 Four channel IP camera kill switch, 12vdc activated	75.00	93.75	117.19
EPM -25 Extreme Performance Microphone, balanced microphone level output	68.00	85.00	106.25
ETW-625 Weather Proof Un-pre-amplified, Dynamic Microphone	30.00	37.50	46.88
ETW-652-CS Weather Proof Un-pre-amplified, Dynamic Microphone with Call Switch	42.00	52.50	65.63
GPRB-16 6/12v or 12/24v Sixteen Channel General Purpose Relay Board	96.00	120.00	150.00
HPA-8 5x8" Indoor/Outdoor Horn Speaker with Integrated 40W Power Amplifier	68.00	85.00	106.25
HPDA-2 Two Channel Headphone Distribution Amplifier	73.21	91.51	114.39
HPDA-2-SS Two Channel Headphone Distribution Amplifier on Double Gang Stainless Plate	75.23	94.04	117.55
HPDA-3 Three Channel Headphone Distribution Amplifier	85.21	106.51	133.14
HPDA-3-SS Three Channel Headphone Distribution Amplifier on Double Gang Stainless Plate	90.23	112.79	140.98
HPDA-4 Four Channel Headphone Distribution Amplifier	97.21	121.51	151.89
HPDA-5 Five Channel Headphone Distribution Amplifier	109.21	136.51	170.64

HPDA-6 Six Channel Headphone Distribution Amplifier	121.21	151.51	189.39
HS11 7"x11" Horn speaker PA, 8 Ohm/70v	45.00	56.25	70.31
HS8 5x8" Horn speaker PA, 70v (With interface box on back)	38.00	47.50	59.38
HS5 5" Horn speaker PA, 70v (With interface box on back)	32.00	40.00	50.00
HS8 5x8" Horn Speaker, 8 OHM, Flying Leads (No interface box on back)	18.00	22.50	28.13
HS8-MP Horn Speaker with integrated 10 Watt amplifier	75.00	93.75	117.19
HS5 5" Horn Speaker, 8 OHM, Flying Leads (No interface box on back)	12.00	15.00	18.75
HSCI-1-EA PoE powered IP camera handset/telephone interface box	95.34	119.18	148.97
HSM11 Indoor/Outdoor 7x11 Horn Speaker/Microphone (C5 option same price) use with SMA1	129.00	161.25	201.56
HSM11D Indoor/Outdoor 7x11 Horn Speaker/ Directional Microphone (C5 option same price) use with SMA1	99.50	124.38	155.47
HSM5D 5 Inch round Indoor/Outdoor Speaker/ Directional Microphone (C5 option same price) use with SMA1	81.00	101.25	126.56
HSM6-DP 6x6 Ruggedized speaker/microphone with high performance microphone use with SMA1	94.00	117.50	146.88
HSM8 8x4 Indoor/Outdoor Speaker/Microphone (C5 option same price) use with SMA1	94.50	118.13	147.66
HSM8D 8x4 Indoor/Outdoor Speaker/ Directional Microphone (C5 option same price) use with SMA1	82.50	103.13	128.91
IFO-1 Balanced Audio Fiber Optic Transceiver Interface	90.45	113.06	141.33
KLRB-1 IP Camera Relay Output Module for Door Locks	21.5	80.06	100.08
KMSP-1 Mute Key Switch Plate Stainless Steel	36.89	46.11	57.64
LT870 70V Line Transformer Matching Transformer	15.50	19.38	24.22
ML1-BM Un-Pre-Amplified, Behind Panel Mount, Omnidirectional microphone, 6' 3.5mm cord	15.00	18.75	23.44
ML1-C Un-Pre-Amplified Covert, Omnidirectional microphone, 6' 3.5mm cord	12.50	15.63	19.53
ML1-FE Un-Pre-Amplified, Compact, Panel Mount, Tamper Resistant, Weather Proof, Omni-Microphone, 6' 3.5mm Cord	20.00	25.00	31.25
ML1-HD Un-Pre-Amplified, Hanging, Omni-Directional microphone, 6' 3.5mm cord	45.00	56.25	70.31
ML1-HDU Un-Pre-Amplified, Hanging, Uni-Directional microphone, 6' 3.5mm cord	45.00	56.25	70.31
ML1-HS Un-Pre-Amplified, Compact, Panel Mount, Tamper Resistant, Weather Proof, Omni-Microphone, 6' 3.5mm Cord	20.00	25.00	31.25
ML1-GN Un-Pre-Amplified, Gooseneck, Directional microphone, 6' 3.5mm cord	45.00	56.25	70.31
ML1-LE Un-Pre-Amplified , Surface Mount, Uni-directional Microphone, 6' 3.5mm Cord	22.50	28.13	35.16
ML1-LE2 Un-Pre-Amplified , Economy Surface Mount, Uni-directional Microphone, 6' 3.5mm Cord	15.00	18.75	23.44
ML1-PH Un-Pre-Amplified, Pin Hole microphone, 6' 3.5mm cord	25.00	36.50	45.63
ML1-S Un-Pre-Amplified, Single Gang, Flush Mount, Omni-directional Microphone, 6' 3.5mm Cord	12.50	15.63	19.53
ML1-SS Un-Pre-Amplified, Stainless steel, single gang, Flush Mount, Omni-directional Microphone, 6' 3.5mm Cord	17.50	21.88	27.34
ML1-SF Un-Pre-Amplified, Flush mount, Omni-directional, circular plug type, small form factor, 6' 3.5mm cord	12.50	15.63	19.53
ML1-SD Un-Pre-Amplified, Surface mount, Covert Smoke Detector Style, Omni-directional Microphone	18.00	22.50	28.13
ML1-SDU Un-Pre-Amplified, Surface mount, Covert Smoke Detector Style, Uni-directional Microphone	18.00	22.50	28.13
ML1-T Un-Pre-Amplified, Table Top, Omni-directional Microphone, 6' 3.5mm Cord	26.50	33.13	41.41
ML1-TR Un-Pre-Amplified, Tamper Resistant, Flush Mount, Omni-directional Microphone, 6' 3.5mm Cord	17.25	21.56	26.95
ML1-TRW Un-Pre-Amplified, Tamper Resistant, Weather Resistant, Omni-directional Microphone, 6' 3.5mm Cord	26.50	33.13	41.41
ML1-TRWCF Un-Pre-Amplified, Compact, Surface Mount, Tamper Resistant, Weather Resistant, Omni-Microphone, 6' 3.5mm Cord	29.21	36.51	45.64
ML1-U Un-Pre-Amplified , Flush Mount, Uni-directional Microphone, 6' 3.5mm Cord	20.00	25.00	31.25
ML1-ULE Un-Pre-Amplified , Surface Mount, Uni-directional Microphone, 6' 3.5mm Cord	30.00	37.50	46.88
ML1-ULE2 Economy Un-Pre-Amplified , Surface Mount, Uni-directional Microphone, 6' 3.5mm Cord	23.00	28.75	35.94
ML1-UPM Un-Pre-Amplified, Panel Mount, Uni-directional Microphone, 6' 3.5mm Cord	22.00	27.50	34.38
ML1-W Un-Pre-Amplified ,Surface Mount, Weather resistant, Omni-directional Microphone, 6' 3.5mm Cord	21.50	26.88	33.59
ML1-WBE IP54 Un-Pre-Amplified, Bullet Style, Weather resistant, Omni-directional Microphone, 6' 3.5mm Cord	50.00	62.50	78.13
ML1-WBM IP57 Un-Pre-Amplified, Bullet Style, Weather proof, Omni-directional Microphone, 6' 3.5mm Cord	100.00	125.00	156.25
ML1-WP IP57 Un-Pre-Amplified, Surface Mount, Weather proof, Omni-directional Microphone, 6' 3.5mm Cord	68.54	85.68	107.09
ML1-WPCF IP57 Compact Un-Pre-Amplified ,Surface Mount, Weather proof, Omni-directional Microphone, 6' 3.5mm Cord	73.54	91.93	114.91
ML1-WPW IP57 Un-Pre-Amplified ,Surface Mount, Weather proof, Omni-directional Microphone, 6' 3.5mm Cord	74.74	93.43	116.78

ML1-WS IP54 Un-Pre-Amplified, 1/2" knockout mountable weather resistant microphone	16.00	20.00	25.00
ML1-WSS IP55 Un-Pre-Amplified ,Stainless Steel, Flush Mount, Weather proof, Omni-directional Microphone, 6' 3.5mm Cord	20.50	25.63	32.03
ML1-WSF IP55 Un-Pre-Amplified, 1/2" knockout mountable weather resistant microphone	20.00	25.00	31.25
ML1-WSWP IP57 Un-Pre-Amplified, 1/2" knockout mountable weather proof	65.32	81.65	102.06
MTDC-1 2 Door interlock controller	65.32	81.65	102.06
MSI-BOC5 CAT5 breakout box for separate microphones and speakers	23.50	29.38	36.72
MSP-1 Mute Switch Plate Stainless Steel	22.50	28.13	35.16
OS6 6"x6" Vandel resistant Outdoor Horn Speaker PA, mount with 70V Transformer	45.00	56.25	70.31
PACEQ-1 Seven band, Pre-amp/equalizer/ALC/ DVR interface Box	135.19	168.99	211.23
PCCM-1 Surface Mount Cardioid pattern microphone	79.33	99.16	123.95
PCKS PoE IP camera kill switch	19.90	24.88	31.09
PCKS-EA PoE IP Camera Kill Switch	32.12	40.15	50.19
PM1 Flush mount microphone for use with professional audio mixers. 48Vdc, MIC LEVEL OUTPUT!	21.80	27.25	34.06
PM1-LE Surface mount microphone for use with professional audio mixers. 48Vdc, MIC LEVEL OUTPUT!	25.56	31.95	39.94
PM1-LL 24-48v Phantom POvered, Balanced Line Level Output Microphone with Adjustabel Gain and High and Low Cut Filters.	29.80	37.25	46.56
PM1-SS Flush mount stainless steel. For use with professional audio mixers. 48Vdc, MIC LEVEL OUTPUT!	25.80	32.25	40.31
PM1-SS-LN Ultra low noise Flush mount stainless steel. 48Vdc, MIC LEVEL OUTPUT!	31.80	39.75	49.69
PM1-TR Flush mount tamper resistant stainless steel. For use with professional audio mixers. 48Vdc, MIC LEVEL OUTPUT!	33.77	42.21	52.77
PM1-TRW Weather resistant, tamper resistant stainless steel. For use with professional audio mixers. 48Vdc, MIC LEVEL OUTPUT!	38.77	48.46	60.58
PM1-W Weather resistant. For use with professional audio mixers. 48Vdc, MIC LEVEL OUTPUT!	39.21	49.01	61.27
PM1-WPW Weather proof. For use with professional audio mixers. 48Vdc, MIC LEVEL OUTPUT!	91.50	114.38	142.97
PMI-1 Professional Phantom Powered Balanced Microphone DVR Interface	64.05	80.06	100.08
PMI-4 Four Channel Professional Phantom Powered Balanced Microphone DVR Interface	156.88	196.10	245.13
PMP-1 Professional Microphone Pre-amplifier.	53.43	66.79	83.48
PR1 Parallel Reader Adapter	44.87	56.09	70.11
RDA1 Reader Distribution Amp	38.61	48.26	60.33
RRSG Stainless steel rocker switch with LED indicator for PCKS-EA	18.00	22.50	28.13
RKSG Stainless steel key switch with LED indicator for PCKS-EA	32.89	41.11	51.39
RI-16 Sixteen Channel Relay Board	135.00	168.75	210.94
SA1-LP 2 Watt Speaker Driver	59.00	73.75	92.19
SA1-HP 30 Watt HP 70V High Power Speaker Driver	145.26	181.58	226.97
SA1-LPEA Ethernet powered I/P camera/speaker interface box	80.21	100.26	125.33
SA1-MP 10 Watt speaker Driver 70v input/output	80.00	100.00	125.00
SA1-MPEA Ethernet powered I/P camera/10 Watt speaker interface box	95.00	118.75	148.44
SA4 4 Channel 2 Watt/ch Speaker Driver	108.00	135.00	168.75
SARM-1 Sound Activated Relay Module	53.21	66.51	83.14
SM1 Flush Mount Omni-Directional Microphone	24.80	31.00	38.75
SM1-BP-SS-LN Flush Mount, Stainless Steel, Boundary type, Highest Performance, Omni-directional Microphone	56.44	70.55	88.19
SM1-C Remote Element Omni-Directional Microphone	34.80	43.50	54.38
SM1-CF Covert, Omni-directional, Lapel style, microphone with small form factor pre-amplifier	35.35	44.19	55.23
SM1-CM Microphone, Omni-directional, adjustable gooseneck stand mic	80.08	100.10	125.13
SM1-DNR-LN Digital Noise Reduction Microphone with High Sensitivity Cartridge and Automatic Gain Control	166.69	208.36	260.45
SM1-EJ Flush mount, Covert Ethernet Jack Style, Omni-directional Microphone	34.64	43.30	54.13
SM1-FE Compact, Panel Mount, Tamper Resistant, Weather proof Omni-directional Microphone.	35.77	44.71	55.89
SM1-HD Hanging Directional Microphone , Remote Element, 6' cord	67.93	84.91	106.14
SM1-LE Surface Mount Omni-Directional Microphone	34.80	43.50	54.38
SM1-LE2 Economy Surface Mount Omni-Directional Microphone	27.80	34.75	43.44

SM1-MD Surface mount, Covert Motion Detector Style, Omni-directional Microphone	36.80	46.00	57.50
SM1-P Flush Mount High Performance Ominidirectional Microphone	34.80	43.50	54.38
SM1-PE Flush Mount High Performance Ominidirectional Microphone (minus universal power option)	32.80	41.00	51.25
SM1-PA Microphone Pre-amplifier	27.89	34.86	43.58
SM1-PAP High Performance Microphone Pre-amplifier	36.89	46.11	57.64
SM1-PCF Remote Element Covert, High Performance Ominidirectional Microphone	42.26	52.83	66.03
SM1-PH Pin Hole Omni-directional Microphone	44.77	55.96	69.95
SM1-PHD High Performance Hanging Directional Microphone , Remote Element, 6' cord	75.39	94.24	117.80
SM1-PGN Microphone, Uni-directional, adjustable gooseneck stand mic with high performance pre-amplifier	82.51	103.14	128.92
SM1-PLE Surface mount, High Performance, Omini-directional Microphone	43.91	54.89	68.61
SM1-PSF Flush mount, Omni-directional, circular plug type microphone with small form factor pre-amplifier	42.26	52.83	66.03
SM1-PSS-LN Flush Mount, Stainless Steel, Highest Performance, Omni-directional Microphone	46.26	57.83	72.28
SM1-PSS Flush Mount, High Performance, Omni-directional Microphone	36.26	45.33	56.66
SM1-PSS-MS Flush Mount Omni-Directional Microphone and Mute Switch Plate, Stainless Steel	46.26	57.83	72.28
SM1-PT Tabletop Microphone	46.12	57.65	72.06
SM1-PTR Flush Mount Tamper-Resistant Omni-Directional Microphone	44.23	55.29	69.11
SM1-PTRW weather resistant, Flush Mount Tamper-Resistant Omni-Directional Microphone	45.67	57.09	71.36
SM1-PU Uni-directional, Flush mount, High Performance Microphone	42.30	52.88	66.09
SM1-PULE Uni-directional, Surface mount, High Performance Microphone	52.30	65.38	81.72
SM1-PULE2 Uni-directional, Surface mount, High Performance Microphone	45.30	56.63	70.78
SM1-PW Weather Resistant Omni-Directional Microphone	49.67	62.09	77.61
SM1-PWP Weather Proof Omni-Directional Microphone	96.46	120.58	150.72
SM1-PWPW Weather Proof Omni-Directional Microphone with Wind Screen	101.96	127.45	159.31
SM1-RJ Flush mount, Covert Phone Jack Style, Omni-directional Microphone	34.64	43.30	54.13
SM1-SD Surface mount, Covert Smoke Detector Style, Omni-directional Microphone	30.40	38.00	47.50
SM1-SDU Surface mount, Covert Smoke Detector Style, Uni-directional Microphone	30.40	38.00	47.50
SM1-SDP Surface mount, Covert Smoke Detector Style, High Performance, Omni-directional Microphone	38.40	48.00	60.00
SM1-SDUP Surface mount, Covert Smoke Detector Style, High Performance, Uni-directional Microphone	38.40	48.00	60.00
SM1-SF Flush mount, Omni-directional, circular plug type microphone with small form factor pre-amplifier	34.80	43.50	54.38
SM1-SS Flush Mount Omni-Directional Microphone, Stainless Steel	28.80	36.00	45.00
SM1-SS-MS Flush Mount Omni-Directional Microphone and Mute Switch Plate, Stainless Steel	38.80	48.50	60.63
SM1-SS-KMS Flush Mount Omni-Directional Microphone and Mute Key Switch Plate, Stainless Steel	71.59	89.49	111.86
SM1-T Tabletop Microphone	38.66	48.33	60.41
SM1-TR Flush Mount Tamper-Resistant Omni-Directional Microphone	39.98	49.98	62.47
SM1-TRCF Compact, Surface Mount, Tamper Resistant, Omni-Directional Microphone	39.77	49.71	62.14
SM1-TRWCF Compact, Surface Mount, Weather Proof, Tamper Resistant, Omni-Directional Microphone	44.77	55.96	69.95
SM1-TRW weather resistant, Flush Mount Tamper-Resistant Omni-Directional Microphone	41.21	51.51	64.39
SM1-U Flush Mount Uni-Directional Microphone	33.30	41.63	52.03
SM1-ULE Surface Mount Uni-Directional Microphone	43.30	54.13	67.66
SM1-ULE2 Economy Surface Mount Uni-Directional Microphone	36.30	45.38	56.72
SM1-W Weather Resistant Omni-Directional Microphone	42.21	52.76	65.95
SM1-WBE Weather Resistant Bullet Omni-Directional Microphone	62.54	78.18	97.72
SM1-WBM Weather Proof Bullet Omni-Directional Microphone	115.00	143.75	179.69
SM1-WP IP56 Weather Proof Omni-Directional Microphone	89.22	111.53	139.41
SM1-WSF IP55 Weather Proof Omni-Directional Microphone	59.22	74.03	92.53
SM1-WPW Weather Proof Omni-Directional Microphone with Wind Screen	94.50	118.13	147.66
SM1-WPWE Economy Weather Proof Omni-Directional Microphone with Wind Screen	55.21	69.01	86.27

SM2 1 Channel microphone Interface Box	20.40	25.50	31.88
SM2-CPI IP Camera Microphone Interface for Cameras with a 12Vdc Outputs	19.50	24.38	30.47
SM2-L 1 channel interface with level control	22.40	28.00	35.00
SM3 1 Channel Amplifier Base Station	79.22	99.03	123.78
SM3E 1 Channel Economy Amplifier base station	52.70	65.88	82.34
SM3E-BTM 1 Channel base station / test monitor with battery pack	82.77	103.46	129.33
SM4 4 Channel Mixer/Switcher/Amplifier	115.76	144.70	180.88
SM4VA 4 Channel Video follow Audio Mixer/Switcher/Amplifier	208.87	261.09	326.36
SM8 8 Channel Mixer/ Switcher/Amplifier	187.00	233.75	292.19
SM8-RC 8 Channel Remote Controlled Mixer/Switcher/Amplifier	199.00	248.75	310.94
SM8VA 8 Channel Video follow Audio Mixer/Switcher/Amplifier	279.53	349.41	436.77
SM16 16 Channel Mixer/ Switcher/Amplifier	283.76	354.70	443.38
SMA1-HP Microphone / 30 Watt speaker amplifier Interface	149.26	186.58	233.22
SMA1-HP-C5 Microphone / 30 Watt speaker amplifier Interface	149.26	186.58	233.22
SMA1-LP Microphone / 2 Watt Speaker amplifier Interface	64.00	80.00	100.00
SMA1-LP-C5 Microphone / 2 Watt Speaker amplifier Interface with CAT5 main cable run connector	64.00	80.00	100.00
SMA1-LPEA Ethernet powered I/P PoE camera /microphone/speaker interface box	83.50	104.38	130.47
SMA1-LPEA-C5 Ethernet powered I/P PoE camera /microphone/speaker interface box	83.50	104.38	130.47
SMA1-MP Microphone / 10 Watt speaker amplifier Interface	85.00	106.25	132.81
SMA1-MPEA Ethernet powered I/P PoE camera /microphone/ 10 Watt speaker interface box	100.00	125.00	156.25
SMA1-MP-C5 Microphone / 10 Watt speaker amplifier Interface with CAT5 main cable run connector	85.00	106.25	132.81
SMA2-LP-C5 2 channel Microphone / 2 Watt speaker amplifier Interface with CAT5 main cable run connector	103.60	129.50	161.88
SMA4-LP-C5 4 Channel Microphone / 2 Watt Speaker amplifier Interface with CAT5 main cable run connector	189.21	236.51	295.64
SMDA2 2 Channel Active Microphone Distribution Amplifier	35.45	44.31	55.39
SMDA4 4 Channel Active Microphone Distribution Amplifier	48.99	61.24	76.55
SMDA8 8 Channel Active Microphone Distribution Amplifier	68.80	86.00	107.50
SMEA-1 Ethernet powered I/P camera microphone interface box.	32.75	40.94	51.17
SMEA-1-HP High Power Ethernet powered I/P camera microphone interface box.	54.00	67.50	84.38
SMEA-1P PoE Powered Professional Phantom Powered Balanced Microphone DVR Interface	80.31	100.39	125.48
SMEQ-1 Seven band audio equalizer / microphone interface	65.20	81.50	101.88
SMI-2 2 Channel microphone Interface Box	29.76	37.20	46.50
SMI-4 4 Channel microphone Interface Box	38.11	47.64	59.55
SMI-8 8 Channel microphone Interface Box	52.35	65.44	81.80
SMI-16 16 Channel microphone Interface Box	84.21	105.26	131.58
SMLA-1 Line level Amplifier / Repeater	34.80	43.50	54.38
SMM2 2 Channel microphone mixer (zone expander)	35.45	44.31	55.39
SMM4 4 Channel Simple Microphone Mixer	47.34	59.18	73.97
SMM8 8 Channel Simple Microphone Mixer	59.30	74.13	92.66
SPA-3W Simple 3 Watt Power Amplifier with Universal Power Input	18.13	22.66	28.33
SS8-RC 8 Channel Remote Controlled Speaker Selector / Driver	236.44	295.55	369.44
STM-1 Siren Generator and Voice Mixer	40.22	50.28	62.84
STW1 Two-way Microphone/Speaker, Stainless Steel (C5 option same price)	69.56	86.95	108.69
STW1-C STW1 with Optional Call Switch (C5 option same price)	73.88	92.35	115.44
STW1-CS4 4" Rectangular Ceiling Speaker with Built in Power Amplifier and Microphone Pre-Amplifier.	67.00	83.75	104.69
STW1-CS8 8" Round Ceiling Speaker with Built in Power Amplifier and Microphone Pre-Amplifier.	86.00	107.50	134.38
STW1-SE Two-way Outdoor Microphone/Speaker, Stainless Steel (C5 option same price)	127.05	158.81	198.52
STW1-SEC STW1-SE with Optional Call Switch (C5 option same price)	155.00	193.75	242.19

STW1-W4 4" Wall mount, two-way Microphone/Speaker. (C5 option same price)	70.81	88.51	110.64
STW1-W4C STW1-W4 with Optional Call Switch (C5 option same price)	75.81	94.76	118.45
STW1-W5 5" Wall mount, two-way Microphone/Speaker. (C5 option same price)	79.87	99.84	124.80
STW1-W5C 5" Wall mount, two-way Microphone/Speaker. (C5 option same price)	84.84	106.05	132.56
STW2 1 Channel 2 way Amplifier Base Station	115.00	143.75	179.69
STW2-DM 1 Channel 2 way Amplifier Base Station without desktop mic or noise cancel	173.85	217.31	271.64
STW2-DMNC Two way Base Station only with integrated noise canceller	303.85	379.81	474.77
STW2-EW Economy, 1 Channel 2 way wall mount microphone/spreaker with call switch input	88.35	110.44	138.05
STW4 4 Channel 2 way Mixer/Switcher/Amplifier	239.44	299.30	374.13
STWI-1 1 Channel 2-way DVR Interface Box	29.17	36.47	45.58
STWI-2 2 Channel 2-way DVR interface Box	39.30	49.13	61.41
SVRB-X Simple Voltage Regulator	8.66	10.83	13.53
TELCO-AD1 (SET) SM1 to 2 pair cable adaptor	19.82	24.78	30.97
TIB_A Universal Transformer Box	15.50	19.38	24.22
TIBE_A Universal Transformer Board (single)	9.95	12.44	15.55
TMPA-1 Dynamic desktop microphone preamplifier/interface	47.33	59.16	73.95
ULC-1 Universal Level Converter, 1 Channel	14.80	18.50	23.13
ULC-4 Universal Level Converter, 4 Channel	39.40	49.25	61.56
ULC-8 Universal Level Converter, 8 Channel	73.80	92.25	115.31
URM-1 Universal Relay Module, 1 Channel	17.30	21.63	27.03
URM-4 Universal Relay Module, 4 Channel	56.22	70.28	87.84
URM-8 Universal Relay Module, 8 Channel	105.00	131.25	164.06
VNF-1 Single channel voice band notch filter / interface	31.30	39.13	48.91
VNF-4 Four channel voice band notch filter / interface	57.80	72.25	90.31
VPC-1 Vandal Proof Call Switch	36.40	45.50	56.88
WC1 Wiegand Converter For Cardkey(tm) L9 Reader	27.70	34.63	43.28
WS4 4" Wall Mount Speaker with 70V Transformer	16.90	21.13	26.41
WS4 4" Wall Mount Speaker 8 Ohm, Flying Leads	12.00	15.00	18.75
WS5 5" Wall Mount Speaker with 70V Transformer	30.00	37.50	46.88

Kit: CSM8-SMA1-LP 1 CSM8 Microphone/Speaker, SMA1-LP (2 Watt) DVR Interface Box	132.87	166.09	207.61
Kit: CSM8-SMA1-MP 1 CSM8 Microphone/Speaker, SMA1-MP(10 Watt) DVR Interface Box	153.87	192.34	240.42
Kit: HSM11-LPEA-C5 1 HSM11 Microphone/Speaker, SMA1-LPEA (2 Watt) DVR/IP Camera Interface Box	193.00	241.25	301.56
Kit: HSM11-SMA1-HP-C5 1 HSM11-C5 Microphone / Speaker, SMA1-HP-C5 (30 Watt) DVR interface box	278.26	347.83	434.78
Kit: HSM11-SMA1-MP 1 HSM11 Microphone/Speaker, SMA1-MP (10 Watt) DVR Interface Box	214.00	267.50	334.38
Kit: SM5 1 SM1 Microphone, SM2 Interface Box	45.20	56.50	70.63
Kit: SM5-EA 1 SM1 Microphone, SMEA-1 Interface Box	57.55	71.94	89.92
Kit: SM5-EQ 1 SM1 Microphone, SMEQ-1 Seven band audio equalizer / DVR interface Box	90.00	112.50	140.63
Kit: SM5-EQ-PSSE-LN SMEQ-1 Seven band Equalizer DVR interface, SM1-PSSE Low noise Microphone	108.48	135.60	169.50
Kit: SM5-EQ-PRO 1 PMD-1 Directional Microphone, PACEQ-1 Seven band, Pre-amp/equalizer/ALC/ DVR interface Box	217.52	271.90	339.88
Kit: SM5-LE 1 SM1-LE microphone, SM2 interface	56.96	71.20	106.75
Kit: SM5-LE2 1 SM1-LE2 microphone, SM2 interface	48.96	61.20	76.50
Kit: SM5-M2 2 SM1 mirophone, SMM2 mixer / interface Box	85.05	106.31	132.89
Kit: SM6 1 SM1 Microphone, SM3 Amplifier	104.02	130.03	162.53
Kit: SM6-LE 1 SM1-LE Microphone, SM3 Amplifier	115.78	144.73	180.91
Kit: SM6-LE2 1 SM1-LE2 Microphone, SM3 Amplifier	107.78	134.73	168.41
Kit: SM6-SS 1 SM1-SS Microphone, SM3 Amplifier	108.02	135.03	168.78

Kit: SM6-M2 2 SM1 microphone, SMM2 mixer, SM3 amplifier	164.27	205.34	256.67
Kit: SM7 4 SM1 Microphones, SM4 Switcher/Mixer/Amplifier	190.16	237.70	297.13
Kit: SM7VA 4 SM1 Microphones, SM4VA Audio/Video Switcher/Mixer/Amplifier	283.27	354.09	442.61
Kit: SM9 8 SM1 Microphones, SM8 Switcher/Mixer/Amplifier	335.80	419.75	524.69
Kit: SM9VA 8 SM1 Microphones, SM8VA Audio/Video Switcher/Mixer/Amplifier	428.33	535.41	669.27
Kit: SM17 16 SM1 Microphones, SM16 Switcher/Mixer/Amplifier	606.16	757.70	947.13
Kit: SMI-3 2 SM1 Microphones, SMI-2 Interface Box	79.36	99.20	124.00
Kit: SMI-5 (SMI-7) 4 SM1 Microphones, SMI-4 Interface Box	124.91	156.14	195.17
Kit: SMI-9 8 SM1 Microphones, SMI-8 Interface Box	225.95	282.44	353.05
Kit: SMI-17 16 SM1 Microphones, SMI-16 Interface Box	431.41	539.26	674.08
Kit: STW2-DM-K Single Channel 2 way Base station with desktop microphone	303.85	379.81	474.77
Kit: STW2-DMNC-K Single Channel 2 way Base station with integrated noise reduction and desktop microphone	433.85	542.31	677.89
Kit: STW3-DMNC-6D-K Single zone two-way, desktop microphone, noise cancelling, 6x6 speaker/microphone	527.85	659.81	824.77
Kit: STW3 STW1 Microphone/Speaker, STW2 Base Station	187.56	234.45	293.06
Kit: STW7 Four STW1 Microphone/Speaker, STW4 Base Station	475.91	594.89	743.61
Kit: STWI5 STW1, Microphone/Speaker, STWI-1 DVR Interface Box	101.73	127.16	158.95
Kit: STWI5-2 Two STW1, Microphone/Speaker, STWI-2 DVR Interface Box	182.42	228.03	285.03
Kit: STWI5-EA-C5 STW1-C5 Microphone/Speaker, SMA1-LPEA-C5 Interface Box	156.06	195.08	243.84
Kit: STWI5-C5 STW1-C5 Microphone/Speaker, SMA1-LP-C5 IP/DVR Interface Box	136.56	170.70	213.38
Kit: STWI5-SE STW1-SE Microphone/Speaker, STWI-1 DVR Interface Box	159.22	199.03	248.78
Kit: STWI5-SE2 Two STW1-SE Microphone/Speaker, STWI-2 DVR Interface Box	286.27	357.84	447.30
Kit: STWI5-SE-C5 STW1-SE-C5 Microphone/Speaker, SMA1-LP-C5 IP/DVR Interface Box	194.05	242.56	303.20
Kit: STWI5-W4 STW1-W4 Wall Mount Microphone/Speaker, STWI-1 DVR Interface Box	99.98	124.98	156.22
Kit: STWI5-W4-C5 STW1-W4-C5 Wall Mount Microphone/Speaker, SMA1-LPC5 DVR Interface Box	104.98	131.23	164.03
Kit: STWI5-W5 STW1-W5 Wall Mount Microphone/Speaker, STWI-1 DVR Interface Box	137.80	172.25	215.31
Kit: STWI5-W5-C5 STW1-W5-C5 Wall Mount Microphone/Speaker, SMA1-LPC5 DVR Interface Box	146.87	183.59	229.48

PA1 40w power amp board option for any speaker	50	62.5	78.125
LN option to standard mics	8	10	12.5
P option on SM1 mics	9	11.25	14.0625
PE option on SM1 mics	7	8.75	10.9375