



211 Conchas Street SE - Albuquerque, NM 87123
Toll Free: 866.700.3923
MASTER PRICE LIST Effective: January, 2023 Ver C

ETS Part Number	Description	Dist	Dealer	MSRP
15DC800	120-220Vac to 12Vdc AC adaptor, 0.8A	7.30	9.13	11.41
24DC2000	120-220vac to 24Vdc AC adapter, 2.0A	21.00	26.25	32.81
16AC40	120Vac to 16.5VAC AC adaptor, 40Va	21.00	26.25	32.81
24AC20	120Vac to 24Vac AC adaptor, 40Va	18.90	23.63	29.53
24AC40	120Vac to 24Vac AC adaptor, 20Va	21.00	26.25	32.81
RMRM-6 RCA	male to RCA male patch cord	1.05	1.31	1.64
TMTM-6	3.5mm stereo male to 3.5mm stereo male patch cord	1.05	1.31	1.64
RMTM-6	RCA Male to stereo 3.5mm stereo male	1.05	1.31	1.64
TMFL-6	3.5mm male to flying lead	4.41	5.51	6.89
RMFL-6	RCA male to flying leads	4.20	5.25	6.56
IMC-L	Indoor mic cable 22AWG 2 conductor shielded w/drain wire (L = LENGTH) PER FOOT	0.22	0.28	0.34
CMC-L	RG174 mic cable	0.75	0.94	1.17
PMC-L	Plenum mic cable 22AWG 2 conductor shielded w/drain wire (L = LENGTH) PER FOOT	0.51	0.64	0.80
OMC-L	Outdoor mic cable 22AWG 2 conductor shielded w/drain wire (L = LENGTH) 9541SB PER FOOT	1.50	1.88	2.34
CAC-L	High quality small diameter coax cable (L = LENGTH) PER FOOT	0.42	0.53	0.66
RMC-L	Rail cable 400R1121-22-0/9-9 PER FOOT	1.66	2.08	2.59
-FL	FL option	2.08	2.60	3.25
-A3.5	Labor and part for adding 3.5mm connector to custom length cord above 6'	3.98	4.98	6.22
232-BB	RS232 Breakout Board	13.65	17.06	21.33
AN1	Audio Message Recorder/Player	52.73	65.91	82.39
AN2	Pre-recorded message player with speaker on a 2 gang electrical plate	99.75	124.69	155.86
AN4	Four Message Audio Player/Recorder	77.15	96.44	120.55
CAT5-AD1	(SET) SM1-X to CAT5 Cable Adaptor	20.28	25.35	31.69
CAT5-AD3	(SET) 3 channel SM1-X to CAT5 cable adaptor	63.46	79.33	99.16
CAT5-BB	Breakout Board	13.65	17.06	21.33
CAT5X4 CAT5	converter 4 channel , remote power (SET)	65.97	82.46	103.08
CS4	4" Ceiling Speaker with Grill and 70V Transformer	24.98	31.23	39.03
CS4	4" Ceiling Speaker with Grill, 8 Ohm	14.98	18.73	23.41
CSA-4	4" ceiling speaker with built in 3W amplifier	34.04	42.55	53.19
CS6	6" Ceiling Speaker with Grill, 8 Ohm	26.25	32.81	41.02
CS8	8" Ceiling Speaker with Grill and 70V Transformer	32.78	40.98	51.22
CSM8	Ceiling 8" (C5 option same price) use with SMA1	72.31	90.39	112.98
CSI-1	Single gang, Compact, Stainless Steel Tamper Resistant Intercom set.	183.75	229.69	287.11
DGS-3	Double Gang Stainless Steel 3" , 8 Ohm, 2 Watt Speaker	24.15	30.19	37.73
DM1-SS	Pre-amplified microphone with compressor and DSP based noise reduction module.	165.38	206.73	258.41
DNR-1	High Performance DSP Based Noise Reduction Module / interface	192.94	241.18	301.47
DNR-4-RCA	Four Channel High Performance DSP Based Noise Reduction Module / interface	682.50	853.13	1,066.41
DNR-4-BNC	Four Channel High Performance DSP Based Noise Reduction Module / interface removeable connectors	708.75	885.94	1,107.42
DS1	Door Contact Shunt Timer	26.56	33.20	41.50
EEM-1	Substitutue Microphone for Eagle 2107/2102P with Superior Performance	26.04	32.55	40.69
EDKS-1G	Ethernet kill switch, 1G with verification relay	36.75	45.94	57.42
EDKS-4	Four channel IP camera kill switch, 12vdc activated	53.99	67.49	84.36

ETW-625	Weather Proof Un-pre-amplified, Dynamic Microphone	41.22	51.53	64.41
ETW-652-CS	Weather Proof Un-pre-amplified, Dynamic Microphone with Call Switch	49.10	61.38	76.72
EWS-1	External Wind Screen for SM1-W and ML1-W mics	10.00	12.50	15.63
GPRB-16	6/12v or 12/24v Sixteen Channel General Purpose Relay Board	100.80	126.00	157.50
HPDA-2	Two Channel Headphone Distribution Amplifier	76.87	96.09	120.11
HPDA-2-SS	Two Channel Headphone Distribution Amplifier on Double Gang Stainless Plate	78.99	98.74	123.42
HPDA-3	Three Channel Headphone Distribution Amplifier	89.47	111.84	139.80
HPDA-3-SS	Three Channel Headphone Distribution Amplifier on Double Gang Stainless Plate	94.74	118.43	148.03
HPDA-4	Four Channel Headphone Distribution Amplifier	102.07	127.59	159.48
HPDA-5	Five Channel Headphone Distribution Amplifier	114.67	143.34	179.17
HPDA-6	Six Channel Headphone Distribution Amplifier	127.27	159.09	198.86
HS5	5" Round Horn Speaker no back box 8 Ohm	25.00	31.25	39.06
HS11-BB	7x11 Horn speaker PA, 70v (With interface box on back)	86.25	107.81	134.77
HS11	7"x11" Horn speaker PA, 8 Ohm/70v	61.25	76.56	95.70
HS8-BB	5x8" Horn speaker PA, 70v (With interface box on back)	71.21	89.01	111.27
HS8-8	5x8" Horn Speaker, 8 OHM, Flying Leads (No interface box on back)	35.55	44.44	55.55
HS8-BB	5x8" Horn speaker PA 8 Ohm	60.55	75.69	94.61
HSA-8	Horn Speaker with integrated 40 Watt amplifier	95.92	119.90	149.88
HSCI-1-EA	PoE powered IP camera handset/telephone interface box	95.34	119.18	148.97
HSM11	Indoor/Outdoor 7x11 Horn Speaker/Microphone (C5 option same price) use with SMA1	141.92	177.40	221.75
HSM11D	Indoor/Outdoor 7x11 Horn Speaker/ Directional Microphone (C5 option same price) use with SMA1	111.25	139.06	173.83
HSM5D	5 Inch round Indoor/Outdoor Speaker/ Directional Microphone (C5 option same price) use with SMA1	85.66	107.08	133.84
HSM6-DP	6x6 Ruggedized speaker/microphone with high performance microphone use with SMA1	140.23	175.29	219.11
HSMA6-DP	6x6 Ruggedized speaker/microphone with high performance microphone and 40Watt Speaker Power Amplifier	175.37	219.21	274.02
HSMA-8	8x4 Indoor/Outdoor Speaker/Microphone and 40Watt speaker power amplifier and back box	151.59	189.49	236.86
HSMA-11	7 x11 Speaker microphone with 40 watt power amp.	177.29	221.61	277.02
HSM8	8x4 Indoor/Outdoor Speaker/Microphone (C5 option same price) use with SMA1	116.22	145.28	181.59
HSM8D	8x4 Indoor/Outdoor Speaker/ Directional Microphone (C5 option same price) use with SMA1	95.55	119.44	149.30
IWS-6X8	Illuminated Warning Sign	68.25	85.31	106.64
IFO-1	Balanced Audio Fiber Optic Transceiver Interface	94.97	118.71	148.39
KLRB-1	IP Camera Relay Output Module for Door Locks	22.57	28.21	35.27
KMSP-1	Mute Key Switch Plate Stainless Steel	38.73	48.41	60.52
LT870	70V Line Transformer Matching Transformer	16.27	20.34	25.42
ML1-BM	Un-Pre-Amplified, Behind Panel Mount, Omnidirectional microphone, 6' 3.5mm cord	16.50	20.63	25.78
ML1-C	Un-Pre-Amplified Covert, Omnidirectional microphone, 6' 3.5mm cord	13.12	16.40	20.50
ML1-FE	Un-Pre-Amplified, Compact, Panel Mount, Tamper Resistant, Weather Proof, Omni-Microphone, 6' 3.5mm Cord	21.00	26.25	32.81
ML1-HD	Un-Pre-Amplified, Hanging, Omni-Directional microphone, 6' 3.5mm cord	27.34	34.18	42.72
ML1-HDU	Un-Pre-Amplified, Hanging, Uni-Directional microphone, 6' 3.5mm cord	27.34	34.18	42.72
ML1-HS	Un-Pre-Amplified, Compact, Panel Mount, Tamper Resistant, Weather Proof, Omni-Microphone, 6' 3.5mm Cord	21.00	26.25	32.81
ML1-GN	Un-Pre-Amplified, Gooseneck, Directional microphone, 6' 3.5mm cord	59.06	73.83	92.28
ML1-LE	Un-Pre-Amplified , Surface Mount, Uni-directional Microphone, 6' 3.5mm Cord	23.62	29.53	36.91
ML1-LE2	Un-Pre-Amplified , Economy Surface Mount, Uni-directional Microphone, 6' 3.5mm Cord	15.75	19.69	24.61
ML1-PH	Un-Pre-Amplified, Pin Hole microphone, 6' 3.5mm cord	26.25	32.81	41.02
ML1-S	Un-Pre-Amplified, Single Gang, Flush Mount, Omni-directional Microphone, 6' 3.5mm Cord	13.13	16.41	20.52
ML1-SS	Un-Pre-Amplified, Stainless steel, single gang, Flush Mount, Omni-directional Microphone, 6' 3.5mm Cord	17.50	21.88	27.34
ML1-SF	Un-Pre-Amplified, Flush mount, Omni-directional, circular plug type, small form factor, 6' 3.5mm cord	13.75	17.19	21.48

ML1-SD	Un-Pre-Amplified, Surface mount, Covert Smoke Detector Style, Omni-directional Microphone	18.90	23.63	29.53
ML1-SDU	Un-Pre-Amplified, Surface mount, Covert Smoke Detector Style, Uni-directional Microphone	18.90	23.63	29.53
ML1-T	Un-Pre-Amplified, Table Top, Omni-directional Microphone, 6' 3.5mm Cord	27.83	34.79	43.48
ML1-TD	Un-Pre-Amplified, Compact, Panel Mount, Tamper Resistant, Weather Proof, Omni-Microphone, 6' 3.5mm Cord	21.00	26.25	32.81
ML1-TR	Un-Pre-Amplified, Tamper Resistant, Flush Mount, Omni-directional Microphone, 6' 3.5mm Cord	20.21	25.26	31.58
ML1-TRW	Un-Pre-Amplified, Tamper Resistant, Weather Resistant, Omni-directional Microphone, 6' 3.5mm Cord	27.83	34.79	43.48
ML1-TRCF	Un-Pre-Amplified, Compact, Surface Mount, Tamper Resistant, Omni-Microphone, 6' 3.5mm Cord	21.00	26.25	32.81
ML1-TRWCF	Un-Pre-Amplified, Compact, Surface Mount, Tamper Resistant, Weather Resistant, Omni-Microphone, 6' 3.5mm Cord	26.25	32.81	41.02
ML1-U	Un-Pre-Amplified , Flush Mount, Uni-directional Microphone, 6' 3.5mm Cord	21.00	26.25	32.81
ML1-ULE	Un-Pre-Amplified , Surface Mount, Uni-directional Microphone, 6' 3.5mm Cord	31.50	39.38	49.22
ML1-ULE2	Economy Un-Pre-Amplified , Surface Mount, Uni-directional Microphone, 6' 3.5mm Cord	24.15	30.19	37.73
ML1-UPM	Un-Pre-Amplified, Panel Mount, Uni-directional Microphone, 6' 3.5mm Cord	26.25	32.81	41.02
ML1-W	Un-Pre-Amplified ,Surface Mount, Weather resistant, Omni-directional Microphone, 6' 3.5mm Cord	24.57	30.71	38.39
ML1-WBB	Un-Pre-Amplified ,Surface Mount, Weather Proof, Omni-directional Microphone, 6' 3.5mm Cord	29.40	36.75	45.94
ML1-WBE	IP54 Un-Pre-Amplified, Bullet Style, Weather resistant, Omni-directional Microphone, 6' 3.5mm Cord	52.50	65.63	82.03
ML1-WBM	IP57 Un-Pre-Amplified, Bullet Style, Weather proof, Omni-directional Microphone, 6' 3.5mm Cord	80.00	100.00	125.00
ML1-WP	IP57 Un-Pre-Amplified, Surface Mount, Weather proof, Omni-directional Microphone, 6' 3.5mm Cord	46.97	58.71	73.39
ML1-WPCF	IP57 Compact Un-Pre-Amplified ,Surface Mount, Weather proof, Omni-directional Microphone, 6' 3.5mm Cord	53.48	66.85	83.56
ML1-WPW	IP57 Un-Pre-Amplified ,Surface Mount, Weather proof, Omni-directional Microphone, 6' 3.5mm Cord	53.48	66.85	83.56
ML1-WS	IP54 Un-Pre-Amplified, 1/2" knockout mountable weather resistant microphone	16.80	21.00	26.25
ML1-WSS	IP55 Un-Pre-Amplified ,Stainless Steel, Flush Mount, Weather proof, Omni-directional Microphone, 6' 3.5mm Cord	21.52	26.90	33.63
ML1-WSF	IP55 Un-Pre-Amplified, 1/2" knockout mountable weather resistant microphone	21.00	26.25	32.81
ML1-WSWP	IP57 Un-Pre-Amplified, 1/2" knockout mountable weather proof	43.59	54.49	68.11
MTDC-1	2 Door interlock controller	69.00	86.25	107.81
MTDC-4	Four Door interlock controller	138.00	172.50	215.63
MSI-BOC5	CAT5 breakout box for separate microphones and speakers	24.67	30.84	38.55
MSP-1	Mute Switch Plate Stainless Steel	23.63	29.54	36.92
OS6	6"x6" Vandel resistant Outdoor Horn Speaker PA, mount with 70V Transformer	100.00	125.00	156.25
PACEQ-1	Seven band, Pre-amp/equalizer/ALC/ DVR interface Box	141.95	177.44	221.80
PCCM-1	Surface Mount Cardioid pattern microphone	83.29	104.11	130.14
PCKS	PoE IP camera kill switch	20.89	26.11	32.64
PCKS-EA	PoE IP Camera Kill Switch	33.73	42.16	52.70
PM-660U	Desktop Microphone with Connector	210.00	262.50	328.13
PM1	Flush mount microphone for use with professional audio mixers. 48Vdc, MIC LEVEL OUTPUT!	22.89	28.61	35.77
PM1-LE	Surface mount microphone for use with professional audio mixers. 48Vdc, MIC LEVEL OUTPUT!	26.84	33.55	41.94
PM1-LL	24-48v Phantom POvered, Balanced Line Level Output Microphone with Adjustabel Gain and High and Low Cut Filters.	31.29	39.11	48.89
PM1-LL-TR	24-48v tamper proof, phantom powered, baanced line level output mic with adjustable gain and hi and low pass filters.	46.43	58.04	72.55
PM1-LL-W	24-48v weather resistant, phantom powered, balanced, line level output mic with adjustable gain and hi and low pass filters.	47.23	59.04	73.80
PM1-LL-WPW	24-48v weather proof, phantom powered, balanced, line level output mic with adjustable gain and hi and low pass filters.	74.50	93.13	116.41
PM1-SS	Flush mount stainless steel. For use with professional audio mixers. 48Vdc, MIC LEVEL OUTPUT!	27.09	33.86	42.33
PM1-SS-LN	Ultra low noise Flush mount stainless steel. 48Vdc, MIC LEVEL OUTPUT!	33.39	41.74	52.17
PM1-TR	Flush mount tamper resistant stainless steel. For use with professional audio mixers. 48Vdc, MIC LEVEL OUTPUT!	35.46	44.33	55.41
PM1-TRW	Weather resistant, tamper resistant stainless steel. For use with professional audio mixers. 48Vdc, MIC LEVEL OUTPUT!	40.71	50.89	63.61
PM1-W	Weather resistant. For use with professional audio mixers. 48Vdc, MIC LEVEL OUTPUT!	41.17	51.46	64.33
PM1-WPW	Weather proof. For use with professional audio mixers. 48Vdc, MIC LEVEL OUTPUT!	70.50	88.13	110.16
PMI-1	Professional Phantom Powered Balanced Microphone DVR Interface	67.25	84.06	105.08

PMI-4	Four Channel Professional Phantom Powered Balanced Microphone DVR Interface	164.72	205.90	257.38
PMP-1	Professional Microphone Pre-amplifier.	56.10	70.13	87.66
PR1	Parallel Reader Adapter	47.11	58.89	73.61
RDA-1	3 Port Wiegand Reader Distribution Amp	40.54	50.68	63.34
RDAO-1	Optically isolated 3 port Wiegand Reader Distribution Amplifier	61.68	77.10	96.38
RRSG	Stainless steel rocker switch with LED indicator for PCKS-EA	18.90	23.63	29.53
RKSG	Stainless steel key switch with LED indicator for PCKS-EA	26.25	32.81	41.02
RI-16	Sixteen Channel Relay Board	141.75	177.19	221.48
SA1-LP	2 Watt Speaker Driver	61.95	77.44	96.80
SA1-HP	30 Watt HP 70V High Power Speaker Driver	152.52	190.65	238.31
SA1-LPEA	Ethernet powered I/P camera/speaker interface box	84.22	105.28	131.59
SA1-MP	10 Watt speaker Driver 70v input/output	84.00	105.00	131.25
SA1-MPEA	Ethernet powered I/P camera/10 Watt speaker interface box	99.75	124.69	155.86
SA4	4 Channel 2 Watt/ch Speaker Driver	113.40	141.75	177.19
SARM-1	Sound Activated Relay Module	55.87	69.84	87.30
SGS-15	Single Gang Stainless Steel 3" , 8 Ohm, 1 Watt Speaker	18.90	23.63	29.53
SM1	Flush Mount Omni-Directional Microphone	26.04	32.55	40.69
SM1-BP-SS-LN	Flush Mount, Stainless Steel, Boundary type, Highest Performance, Omni-directional Microphone	62.37	77.96	97.45
SM1-BPE-B-SS-LN	Flush Mount, Stainless Steel, Boundary type, Highest Performance, Omni-directional Microphone 12-24vdc	57.84	72.30	90.38
SM1-C	Remote Element Omni-Directional Microphone	36.54	45.68	57.09
SM1-CF	Covert, Omni-directional, Lapel style, microphone with small form factor pre-amplifier	37.12	46.40	58.00
SM1-CM	Microphone, Omni-directional, adjustable gooseneck stand mic	84.08	105.10	131.38
SM1-DNR-LN	Digital Noise Reduction Microphone with High Sensitivity Cartridge and Automatic Gain Control	175.02	218.78	273.47
SM1-EJ	Flush mount, Covert Ethernet Jack Style, Omni-directional Microphone	36.37	45.46	56.83
SM1-FE	Compact, Panel Mount, Tamper Resistant, Weather proof Omni-directional Microphone.	37.56	46.95	58.69
SM1-HD	Hanging Directional Microphone , Remote Element, 6' cord	51.04	63.80	79.75
SM1-HS	Compact, Panel Mount, Tamper Resistant, Weather proof Omni-directional Microphone.	37.56	46.95	58.69
SM1-LE	Surface Mount Omni-Directional Microphone	36.54	45.68	57.09
SM1-LE2	Economy Surface Mount Omni-Directional Microphone	27.80	34.75	43.44
SM1-MD	Surface mount, Covert Motion Detector Style, Omni-directional Microphone	38.64	48.30	60.38
SM1-P	Flush Mount High Performance Ominidirectional Microphone	40.04	50.05	62.56
SM1-PE	Flush Mount High Performance Ominidirectional Microphone (minus universal power option)	36.04	45.05	56.31
SM1-PA	Microphone Pre-amplifier	29.28	36.60	45.75
SM1-PAP	High Performance Microphone Pre-amplifier	38.73	48.41	60.52
SM1-PCF	Remote Element Covert, High Performance Ominidirectional Microphone	44.37	55.46	69.33
SM1-PH	Pin Hole Omni-directional Microphone	47.00	58.75	73.44
SM1-PHD	High Performance Hanging Directional Microphone , Remote Element, 6' cord	65.04	81.30	101.63
SM1-PGN	Microphone, Uni-directional, adjustable gooseneck stand mic with high performance pre-amplifier	90.22	112.78	140.97
SM1-PLE	Surface mount, High Performance, Omini-directional Microphone	46.04	57.55	71.94
SM1-PSF	Flush mount, Omni-directional, circular plug type microphone with small form factor pre-amplifier	44.73	55.91	69.89
SM1-PESS-LN	Flush Mount, Stainless Steel, Highest Performance, Omni-directional Microphone	48.54	60.68	75.84
SM1-PSS-LN	Flush Mount, Stainless Steel, Highest Performance, Omni-directional Microphone	52.54	65.68	82.09
SM1-PESS	Flush Mount, Stainless Steel, High Performance, Omni-directional Microphone 12-24vdc	40.04	50.05	62.56
SM1-PSS	Flush Mount, High Performance, Omni-directional Microphone	44.04	55.05	68.81
SM1-PSS-MS	Flush Mount Omni-Directional Microphone and Mute Switch Plate, Stainless Steel	54.04	67.55	84.44
SM1-PT	Tabletop Microphone	50.04	62.55	78.19

SM1-PTR	Flush Mount Tamper-Resistant Omni-Directional Microphone	55.04	68.80	86.00
SM1-PTRW	weather resistant, Flush Mount Tamper-Resistant Omni-Directional Microphone	60.04	75.05	93.81
SM1-PU	Uni-directional, Flush mount, High Performance Microphone	55.04	68.80	86.00
SM1-PULE	Uni-directional, Surface mount, High Performance Microphone	65.04	81.30	101.63
SM1-PULE2	Uni-directional, Surface mount, High Performance Microphone	60.04	75.05	93.81
SM1-PW	Weather Resistant Omni-Directional Microphone	58.02	72.53	90.66
SM1-PWP	Weather Proof Omni-Directional Microphone	71.46	89.33	111.66
SM1-PWPW	Weather Proof Omni-Directional Microphone with Wind Screen	107.06	133.83	167.28
SM1-RJ	Flush mount, Covert Phone Jack Style, Omni-directional Microphone	36.37	45.46	56.83
SM1-SD	Surface mount, Covert Smoke Detector Style, Omni-directional Microphone	31.92	39.90	49.88
SM1-SDU	Surface mount, Covert Smoke Detector Style, Uni-directional Microphone	33.52	41.90	52.38
SM1-SDP	Surface mount, Covert Smoke Detector Style, High Performance, Omni-directional Microphone	42.34	52.93	66.16
SM1-SDUP	Surface mount, Covert Smoke Detector Style, High Performance, Uni-directional Microphone	42.34	52.93	66.16
SM1-SF	Flush mount, Omni-directional, circular plug type microphone with small form factor pre-amplifier	38.37	47.96	59.95
SM1-SS	Flush Mount Omni-Directional Microphone, Stainless Steel	31.54	39.43	49.28
SM1-SS-MS	Flush Mount Omni-Directional Microphone and Mute Switch Plate, Stainless Steel	40.74	50.93	63.66
SM1-SS-KMS	Flush Mount Omni-Directional Microphone and Mute Key Switch Plate, Stainless Steel	63.82	79.78	99.72
SM1-T	Tabletop Microphone	42.62	53.28	66.59
SM1-TD	Compact, Panel Mount, Tamper Resistant, Weather proof Omni-directional Microphone.	37.56	46.95	58.69
SM1-TR	Flush Mount Tamper-Resistant Omni-Directional Microphone	41.98	52.48	65.59
SM1-TRCF	Compact, Surface Mount, Tamper Resistant, Omni-Directional Microphone	41.75	52.19	65.23
SM1-TRWCF	Compact, Surface Mount, Weather Proof, Tamper Resistant, Omni-Directional Microphone	47.01	58.76	73.45
SM1-TRW	weather resistant, Flush Mount Tamper-Resistant Omni-Directional Microphone	43.27	54.09	67.61
SM1-U	Flush Mount Uni-Directional Microphone	34.96	43.70	54.63
SM1-ULE	Surface Mount Uni-Directional Microphone	45.46	56.83	71.03
SM1-ULE2	Economy Surface Mount Uni-Directional Microphone	38.12	47.65	59.56
SM1-UPM	Panel mount microphone with pre-amplifier	52.38	65.48	81.84
SM1-PUPM	Panel mount microphone with high performance pre-amplifier	61.83	77.29	96.61
SM1-W	Weather Resistant Omni-Directional Microphone	44.32	55.40	69.25
SM1-WBB	Weather Proof Omni-Directional Microphone	50.40	63.00	78.75
SM1-WBE	Weather Resistant Bullet Omni-Directional Microphone	65.67	82.09	102.61
SM1-WBM	Weather Proof Bullet Omni-Directional Microphone	95.75	119.69	149.61
SM1-WP	IP56 Weather Proof Omni-Directional Microphone	64.22	80.28	100.34
SM1-WPCF	New compact IP67 waterproof mic	64.22	80.28	100.34
SM1-WS	IP55 Weather Proof Omni-Directional Microphone	52.50	65.63	82.03
SM1-WPW	Weather Proof Omni-Directional Microphone with Wind Screen	74.23	92.79	115.98
SM1-WPWE	Economy Weather Proof Omni-Directional Microphone with Wind Screen	59.32	74.15	92.69
SM2	1 Channel microphone Interface Box	22.46	28.08	35.09
SM2-CPI	IP Camera Microphone Interface for Cameras with a 12Vdc Outputs	22.46	28.08	35.09
SM2-L	1 channel interface with level control	25.00	31.25	39.06
SM3	1 Channel Amplifier Base Station	83.18	103.98	129.97
SM3E	1 Channel Economy Amplifier base station	55.34	69.18	86.47
SM3E-BTM	1 Channel base station / test monitor with battery pack	86.91	108.64	135.80
SM3-RM	1 Channel Rack mounted microphone monitoring base station	136.91	171.14	213.92
SM3-WM	1 Channel wall mount microphone monitoring base station	83.18	103.98	129.97
SM4	4 Channel Mixer/Switcher/Amplifier	121.55	151.94	189.92

SM8	8 Channel Mixer/ Switcher/Amplifier	196.35	245.44	306.80
SM8-RC	8 Channel Remote Controlled Mixer/Switcher/Amplifier	208.95	261.19	326.48
SM16	16 Channel Mixer/ Switcher/Amplifier	297.95	372.44	465.55
SMA1-HP	Microphone / 30 Watt speaker amplifier Interface	156.73	195.91	244.89
SMA1-HP-C5	Microphone / 30 Watt speaker amplifier Interface	156.73	195.91	244.89
SMA1-LP	Microphone / 2 Watt Speaker amplifier Interface	67.20	84.00	105.00
SMA1-LP-C5	Microphone / 2 Watt Speaker amplifier Interface with CAT5 main cable run connector	67.20	84.00	105.00
SMA1-LPEA	Ethernet powered I/P PoE camera /microphone/speaker interface box	96.63	120.79	150.98
SMA1-LPEA-C5	Ethernet powered I/P PoE camera /microphone/speaker interface box	96.63	120.79	150.98
SMA1-MP	Microphone / 10 Watt speaker amplifier Interface	93.71	117.14	146.42
SMA1-MPEA	Ethernet powered I/P PoE camera /microphone/ 10 Watt speaker interface box	110.25	137.81	172.27
SMA1-MP-C5	Microphone / 10 Watt speaker amplifier Interface with CAT5 main cable run connector	89.25	111.56	139.45
SMA2-LP-C5	2 channel Microphone / 2 Watt speaker amplifier Interface with CAT5 main cable run connector	108.78	135.98	169.97
SMA4-LP-C5	4 Channel Microphone / 2 Watt Speaker amplifier Interface with CAT5 main cable run connector	198.67	248.34	310.42
SMDA2	2 Channel Active Microphone Distribution Amplifier	37.22	46.53	58.16
SMDA4	4 Channel Active Microphone Distribution Amplifier	51.44	64.30	80.38
SMDA8	8 Channel Active Microphone Distribution Amplifier	72.24	90.30	112.88
SMEA-1	Ethernet powered I/P camera microphone interface box.	34.39	42.99	53.73
SMEA-1-HP	High Power Ethernet powered I/P camera microphone interface box.	56.70	70.88	88.59
SMEA-1P	PoE Powered Professional Phantom Powered Balanced Microphone DVR Interface	84.33	105.41	131.77
SMEA-1PA	PoE powered Pre-amplifier for ML1 series microphones and IP Cameras	34.39	42.99	53.73
SMEQ-1	Seven band audio equalizer / microphone interface	68.46	85.58	106.97
SMI-2	2 Channel microphone Interface Box	31.25	39.06	48.83
SMI-4	4 Channel microphone Interface Box	40.01	50.01	62.52
SMI-8	8 Channel microphone Interface Box	57.71	72.14	90.17
SMI-16	16 Channel microphone Interface Box	88.42	110.53	138.16
SMLA-1	Line level Amplifier / Repeater	36.54	45.68	57.09
SMM2	2 Channel microphone mixer (zone expander)	37.22	46.53	58.16
SMM4	4 Channel Simple Microphone Mixer	52.19	65.24	81.55
SMM8	8 Channel Simple Microphone Mixer	62.26	77.83	97.28
SMS-2	Two Channel speaker mic switcher for STW2-DM	155.00	193.75	242.19
SMS-3	Three Channel speaker mic switcher for STW2-DM	190.00	237.50	296.88
SMS-4	Four Channel speaker mic switcher for STW2-DM	225.00	281.25	351.56
SMS-5	Five Channel speaker mic switcher for STW2-DM	260.00	325.00	406.25
SPA-3W	Simple 3 Watt Power Amplifier with Universal Power Input	19.04	23.80	29.75
SPA-40W	40 Watt power amplifier with 24vdc input.	39.37	49.21	61.52
SS8-RC	8 Channel Remote Controlled Speaker Selector / Driver	248.26	310.33	387.91
SRDAO-1	Smart reader Weigand distribution amp with optically isolated inputs and outputs	98.43	123.04	153.80
STM-1	Siren Generator and Voice Mixer	42.23	52.79	65.98
STW1	Two-way Microphone/Speaker, Stainless Steel (C5 option same price)	73.04	91.30	114.13
STW1-C	STW1 with Optional Call Switch (C5 option same price)	78.75	98.44	123.05
STW1-CS4	4" Rectangular Ceiling Speaker with Built in Power Amplifier and Microphone Pre-Amplifier.	70.35	87.94	109.92
STW1-CS8	8" Round Ceiling Speaker with Built in Power Amplifier and Microphone Pre-Amplifier.	90.30	112.88	141.09
STW1-SE	Two-way Outdoor Microphone/Speaker, Stainless Steel (C5 option same price)	127.05	158.81	198.52
STW1-SEC	STW1-SE with Optional Call Switch (C5 option same price)	155.00	193.75	242.19
STW1-W4	4" Wall mount, two-way Microphone/Speaker. (C5 option same price)	70.81	88.51	110.64

STW1-W4C	STW1-W4 with Optional Call Switch (C5 option same price)	75.81	94.76	118.45
STW1-W5	5" Wall mount, two-way Microphone/Speaker. (C5 option same price)	115.54	144.43	180.53
STW1-W5C	5" Wall mount, two-way Microphone/Speaker. (C5 option same price)	130.54	163.18	203.97
STW2	1 Channel 2 way Amplifier Base Station	120.75	150.94	188.67
STW2-DM	1 Channel 2 way Amplifier Base Station without desktop mic or noise cancel	182.54	228.18	285.22
STW2-DMNC	Two way Base Station only with integrated noise canceller	303.85	379.81	474.77
STW2-EW	Economy, 1 Channel 2 way wall mount microphone/spreaker with call switch input	92.76	115.95	144.94
STW4	4 Channel 2 way Mixer/Switcher/Amplifier	251.41	314.26	392.83
STWI-1	1 Channel 2-way DVR Interface Box	30.63	38.29	47.86
STWI-2	2 Channel 2-way DVR interface Box	41.26	51.58	64.47
SVRB-X	Simple Voltage Regulator	9.10	11.38	14.22
TELCO-AD1	(SET) SM1 to 2 pair cable adaptor	21.80	27.25	34.06
TIB_A	Universal Transformer Box	16.27	20.34	25.42
TIBE_A	Universal Transformer Board (single)	10.45	13.06	16.33
TLP-SS	Two LED Traffic Light on Stainless steel single gang plate	16.80	21.00	26.25
TMPA-1	Dynamic desktop microphone preamplifier/interface	49.69	62.11	77.64
ULC-1	Universal Level Converter, 1 Channel	15.54	19.43	24.28
ULC-4	Universal Level Converter, 4 Channel	41.37	51.71	64.64
ULC-8	Universal Level Converter, 8 Channel	77.49	96.86	121.08
URM-1	Universal Relay Module, 1 Channel	18.16	22.70	28.38
URM-4	Universal Relay Module, 4 Channel	59.03	73.79	92.23
URM-8	Universal Relay Module, 8 Channel	110.25	137.81	172.27
VNF-1	Single channel voice band notch filter / interface	32.86	41.08	51.34
VNF-4	Four channel voice band notch filter / interface	60.69	75.86	94.83
VPC-1	Vandal Proof Call Switch	38.22	47.78	59.72
WC1	Wiegand Converter For Cardkey(tm) L9 Reader	29.08	36.35	45.44
WS4	4" Wall Mount Speaker with 70V Transformer	17.75	22.19	27.73
WS4	4" Wall Mount Speaker 8 Ohm, Flying Leads	12.60	15.75	19.69
WS5	5" Wall Mount Speaker with 70V Transformer	52.50	65.63	82.03
Kit: CSM8-SMA1-LP	1 CSM8 Microphone/Speaker, SMA1-LP (2 Watt) DVR Interface Box		0.00	0.00
Kit: CSM8-SMA1-MP	1 CSM8 Microphone/Speaker, SMA1-MP(10 Watt) DVR Interface Box		0.00	0.00
Kit: HSM11-LPEA-C5	1 HSM11 Microphone/Speaker, SMA1-LPEA (2 Watt) DVR/IP Camera Interface Box		0.00	0.00
Kit: HSM11-SMA1-HP-C5	1 HSM11-C5 Microphone / Speaker, SMA1-HP-C5 (30 Watt) DVR interface box		0.00	0.00
Kit: HSM11-SMA1-MP	1 HSM11 Microphone/Speaker, SMA1-MP (10 Watt) DVR Interface Box		0.00	0.00
Kit: SM5	1 SM1 Microphone, SM2 Interface Box	47.46	59.33	74.16
Kit: SM5-EA	1 SM1 Microphone, SMEA-1 Interface Box	60.43	75.54	94.42
Kit: SM5-EQ	1 SM1 Microphone, SMEQ-1 Seven band audio equalizer / DVR interface Box	94.50	118.13	147.66
Kit: SM5-EQ-PSSE-LN	SMEQ-1 Seven band Equalizer DVR interface, SM1-PSSE Low noise Microphone	113.90	142.38	177.97
Kit: SM5-EQ-PRO	1 PMD-1 Directional Microphone, PACEQ-1 Seven band, Pre-amp/equalizer/ALC/ DVR interface Box	239.81	299.76	374.70
Kit: SM5-LE	1 SM1-LE microphone, SM2 interface	59.81	74.76	93.45
Kit: SM5-LE2	1 SM1-LE2 microphone, SM2 interface	51.41	64.26	80.33
Kit: SM5-M2	2 SM1 microphone, SMM2 mixer / interface Box	89.30	111.63	139.53
Kit: SM6	1 SM1 Microphone, SM3 Amplifier	120.41	150.51	188.14
Kit: SM6-LE	1 SM1-LE Microphone, SM3 Amplifier	127.65	159.56	199.45
Kit: SM6-LE2	1 SM1-LE2 Microphone, SM3 Amplifier	119.09	148.86	186.08

Kit: SM6-SS	1 SM1-SS Microphone, SM3 Amplifier	119.09	148.86	186.08
Kit: SM6-M2	2 SM1 microphone, SMM2 mixer, SM3 amplifier	180.60	225.75	282.19
Kit: SM7	4 SM1 Microphones, SM4 Switcher/Mixer/Amplifier	199.67	249.59	311.98
Kit: SM9	8 SM1 Microphones, SM8 Switcher/Mixer/Amplifier	352.59	440.74	550.92
Kit: SM17	16 SM1 Microphones, SM16 Switcher/Mixer/Amplifier	636.47	795.59	994.48
Kit: SMI-3	2 SM1 Microphones, SMI-2 Interface Box	83.33	104.16	130.20
Kit: SMI-5 (SMI-7)	4 SM1 Microphones, SMI-4 Interface Box	137.71	172.14	215.17
Kit: SMI-9	8 SM1 Microphones, SMI-8 Interface Box	237.25	296.56	370.70
Kit: SMI-17	16 SM1 Microphones, SMI-16 Interface Box	452.99	566.24	707.80
Kit: STW2-DM-K	Single Channel 2 way Base station with desktop microphone	319.04	398.80	498.50
Kit: STW2-DMNC-K	Single Channel 2 way Base station with integrated noise reduction and desktop microphone	455.54	569.43	711.78
Kit: STW3-DMNC-6D-K	Single zone two-way, desktop microphone, noise cancelling, 6x6 speaker/microphone	554.24	692.80	866.00
Kit: STW3	STW1 Microphone/Speaker, STW2 Base Station	196.94	246.18	307.72
Kit: STW7	Four STW1 Microphone/Speaker, STW4 Base Station	499.71	624.64	780.80
Kit: STWI5	STW1, Microphone/Speaker, STWI-1 DVR Interface Box	106.82	133.53	166.91
Kit: STWI5-2	Two STW1, Microphone/Speaker, STWI-2 DVR Interface Box	191.54	239.43	299.28
Kit: STWI5-EA-C5	STW1-C5 Microphone/Speaker, SMA1-LPEA-C5 Interface Box	163.86	204.83	256.03
Kit: STWI5-C5	STW1-C5 Microphone/Speaker, SMA1-LP-C5 IP/DVR Interface Box	143.39	179.24	224.05
Kit: STWI5-SE	STW1-SE Microphone/Speaker, STWI-1 DVR Interface Box	167.18	208.98	261.22
Kit: STWI5-SE2	Two STW1-SE Microphone/Speaker, STWI-2 DVR Interface Box	300.58	375.73	469.66
Kit: STWI5-SE-C5	STW1-SE-C5 Microphone/Speaker, SMA1-LP-C5 IP/DVR Interface Box	203.75	254.69	318.36
Kit: STWI5-W4	STW1-W4 Wall Mount Microphone/Speaker, STWI-1 DVR Interface Box	104.98	131.23	164.03
Kit: STWI5-W4-C5	STW1-W4-C5 Wall Mount Microphone/Speaker, SMA1-LPC5 DVR Interface Box	110.23	137.79	172.23
Kit: STWI5-W5	STW1-W5 Wall Mount Microphone/Speaker, STWI-1 DVR Interface Box	144.69	180.86	226.08
Kit: STWI5-W5-C5	STW1-W5-C5 Wall Mount Microphone/Speaker, SMA1-LPC5 DVR Interface Box	154.21	192.76	240.95

PA1 40w power amp board option for any speaker
LN option to standard mics
PE option on SM1 mics. A P mic without the extended power option
P option includes extended power option

35	43.75	54.69
8.4	10.50	13.13
10	12.50	15.63
13	16.25	20.31