



Electronic Technical Services Inc.  
211 Conchas SE  
Albuquerque, NM 87123  
PH 505-888-3923 FAX 505-888-3926  
Website: www.etsnm.com

# EDKS-1GEA-PBSG PoE++ IP Device Kill Switch

## Description

The EDKS-1GEA-PBSG is a device designed to interrupt or enable power to a PoE++ IP device. The EDKS-1GEA-PBSG is placed in-line with the IP device's CAT5/6 cable. It is typically used to enable/disable IP cameras for privacy and confidentiality purposes. Applications include interview rooms, Interrogation rooms, hospital rooms and patient exam rooms.

## Features:

- Can be set for toggle mode (on/off) or timed (momentary) operation.
- Led indicator on switch can be assigned red LED = device on or red LED = device off.
- Timed range adjustable from 1min-240min or 1hr to 24hrs
- Can be set to enable or disable PoE device in momentary operation.
- Internal sounder beeps during switch presses and every second for last 10 seconds during momentary operation.
- Timer countdown can be reset in last 10 seconds.
- Timed operation can be cancelled with another button press.
- Beeper can be disabled for silent operation.

## Includes:

- EDKS-1GEA-PBSG IP device kill switch.
- Installation instructions.

## Wiring requirements:

- Cat 5/6 cable in and out



## EDKS-1GEA-PBSG Specifications

- CAT5/6 I/O Connectors.
- Vandal resistant switch with red LED ring.
- Switch selectable IP Device 'On or Off' red LED indicator.
- Switch selectable, toggle or timed operation
- Switch selectable time range 1-240min or 1hr to 24hr.
- Switch selectable LED on = device on or LED on = device off.
- Switch selectable beeper on or off.
- PoE powered, self contained system, no additional power input required.
- Supports 10/100M and 1G data rates
- Can handle PoE++ device loads
- Makes / breaks A and B mode power with a relay. Data is not routed through the relay.
- IEEE802.af A and B mode switch
- Stainless steel plate
- PoE power consumption: 1.5 Watts
- Dimensions: L 4.5 x W 2.75 x H 1.5
- Weight 0.2lb

## Warranty

1 year parts and labor.